ATLAS CRANES

WALLFORM HANDLING CRANES



ATLAS 300 VCS (2,200 LBS @ 63')


ATLAS 440 VCS (2,200 LBS @ 73')

SIMPLE & RELIABLE

The easiest and most efficient way to move your forms

IRVING EQUIPMENT,LLC

Custom designed packages for every customer's needs











Ready to work for you!


ATLAS CRANES

419-448-9891 | irvingequipment.net


IRVING EQUIPMENT, LLC

LOAD CHARTS

ATLAS 300 VCS




ATLAS 440 VCS




ATLAS CRANES
419-448-9891 | irvingequipment.net
IRVING EQUIPMENT LLC

DIMENSIONS

ATLAS 300 VCS



ATLAS 440 VCS



ATLAS CRANES
419-448-9891 | irvingequipment.net
IRVING EQUIPMENT LLC

SPECIFICATIONS

ATLAS 300 VCS

COMPLETE UNIT WEIGHT	HYDRAULIC PRESSURE	HYDRAULIC FLOW	DEGREES OF ROTATION
10, 400 LBS	3,916 PSI	15.9 GAL/MIN Dual Circuit System	410 DEG.

ATLAS 440 VCS

COMPLETE UNIT WEIGHT	HYDRAULIC PRESSURE	HYDRAULIC FLOW	DEGREES OF ROTATION
11, 800 LBS	4,351 PSI	21.1 GAL/MIN Dual Circuit System	410 DEG.







STANDARD FEATURES



Heavy duty mounting for longevity and strength.

This is not the place to make cuts!



- Large oil coolers are standard equipment to keep your crane from overheating
- Internal cylinders on all boom extensions for protection
- Double rack & pinion rotation with 410 degree slewing
- Power link connections on second boom for greater range and capacity
- Extra-wide stabilizers – 25' span, hydraulic out and down, no cables inside outrigger beams
- Dual circuit hydraulic system for increased speed
- High pressure and return hydraulic filters
- Load holding valves on every cylinder with hydraulic overload device (non-electronic)
- Top seat controls with joysticks and foot pedals
- Hydraulic hook rotator fed with hose reel to end of boom

- Simple & Strong
- Fewest Moving Parts
- Low Maintenance
- Cost-Effective
- Other models/ reaches available



Our cranes are certified to DIN EN ISO 9001 : 2008.

ATLAS Cranes are built to strict global standards



Centralized greasing location for the rotation system makes greasing easier

The 300 and 440 that we offer are fully hydraulic, even using a hydraulic E Stop



OPTIONS



LED light packages on the boom and around the truck are available




We offer fully customized beds and center racks designed by our in-house engineering team



Auxiliary outriggers and large poly pads can make the crane more stable



6x6 options are available via shaft-driven and hydraulic-driven axles





Standard top seat or proportional radio remote controls

IRVING
EQUIPMENT,LLC

The Exclusive U.S. Importer of

ATLAS
CRANES



BOOM-TOWN, USA

1785 S. County Road 1, Tiffin, Ohio 44883
419-448-9891
info@irvingequipment.net
irvingequipment.net